

palmae



رؤية
VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

palmae



ADVANCED
ENGINEERING
CONTRACTING EST.



BAHJAT
FOR GENERAL TRADING EST.



UNIFORMS



SAFETY SHOE



PPE & SAFETY



TOOLS



MACHINES



PALLETS & PACKING



3M



OUR BRANDS

FLAME[®]
MASTER 

MILLER[®]


VOLTA




PRIME SAFETY


Vaultex[®]


Road·mate

Honeywell

ULTIMA
INDUSTRIAL
Protective / Safety Footwear


Armour Safety

F6RTE[®]

Concorde[™]
SAFETY SHOES


BICAP[®]



PU Red Cut 1

100% Nylon knitted glove, Red PU coating on the palm and fingers. Gauge 13, 250 mm length. Handling of fine objects in a dry environment or slightly greasy or dirty objects. Helps to provide safety managers with visual recognition of the cut protection level

Honeywell



Pu Orange Cut 3

White Spectra knitted glove, Amber polyurethane coating on palm and tips of fingers Gauge 13 - 250 mm long Application: Handling sharp parts in a dry or greasy environment. Helps to provide safety managers with visual recognition of the cut protection level

Honeywell



Cut 5 Economy PU

Knitted glove in composite and para-aramid yarn Black PU coating on palm - Gauge 13 - 250 mm long Handling of heavy parts with high cut risks in dry or slightly greasy environment

Honeywell



Impact Cut 3

Knitted glove in Spectra®. Black nitrile foam coating on palm. Rubber pads on top of the hand and fingers - Gauge 13 - 250 mm long Handling of heavy parts in oily or greasy environment. Shock absorber pad on top of the hand to protect metacarpiano and fingers.

Honeywell



Impact Cut 5

Knitted glove in composite and para-aramid yarn. Plated polyamide. Black nitrile foam coating on palm. Rubber pads on top of the hand and fingers pads on top of the hand and fingers - Gauge 13 - 250 mm long Handling of heavy parts in oily or greasy environment. Shock absorber pad on top of the hand to protect metacarpiano and fingers.

Honeywell



Nitrile Light

Polyamide knitted glove Ultrathin foam nitrile coating on the palm and fingers Open Back Elasticated knitted wrist. Gauge 15. Length :25 cm Light handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Honeywell

In accordance with standards :
EN 60903-2003
CEI 903-2002
Product Use
For electrical work with a maximum voltage of 500 volts. To be used with leather protectors for mechanical protection. Its natural latex base offers high dielectric characteristics. Its thickness (0.5 mm) ensures good dexterity while offering protection up to 500 volts of use.



ELECTRICAL GLOVES

Honeywell

PVC Chemical Glove with Grip

Green PVC glove Dipped on cotton liner Rough finish 1.6mm thick 350 mm long Handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. Chemical and petrochemical industry



Honeywell



NITRILE COATED GLOVES

Nitrile Coated Gloves
Polyester Liner, Latex Coated,
Nitrile coated gloves
Flexible and comfortable.
Excellent abrasion resistance
Oil Proof, Anti-Acid and Anti- Alkali
Color - Grey
ORIGIN: CHINA



LATEX COATED GLOVES

Orange and Green Colour Half Latex
Coated Gloves on Yellow Knitted Shell
Flexible & Comfortable
Good Grip & Breathability
Anti-Acid & Anti-Alkali
Anti-Slip & Penetration Resistance



WORKING GLOVES

Type: Leather
Color: Yellow
Made In Pakistan



SINGLE SIDE DOTTED GLOVES

Cotton Knitted with Blue
PVC Single side Dots
Flexible & Comfortable
Durable with Excellent Breathability
Anti Slip & Abrasion Resistance
Made In China
For Wide Range Of Work Applications



DOTTED GLOVES

Cotton Knitted
Elastic Knitted Wrist
Flexible & Comfortable
For Wide Range of Applications
Anti Slip & Abrasion Resistance
Made In China
Aprox. 830 Grams Per dz



TIG WELDING GLOVES

Type: Sheep Leather
Color: White
Made In Pakistan



NITRILE GLOVES CHEMICAL RESISTANCE

EN374, EN388
EN374:2003
Raw Material Nitrile
Synthetic Rubber for
High Chemical resistance
Length 33 cm
Thickness 0.38 mm
Lining Cotton Flock lined
Inside the glove to absorb
sweating
Grip pattern Raised diamond
grip pattern in palm area to
provide dry and wet grip.
Color Green



WELDING GLOVES

Heavy Duty
16" Long, Fire Proof
Color: Yellow
Made in Pakistan





HTM



ORB

Fabric safety vest
100% polyster
116 GSM



CKT



NLM

MADE IN CHINA
4 POCKET
4 STRIPE REFLECTIVE
100% Polyster
145 GSM



PSM

Executive Net vest With Zipper
P.V.C Reflective Tape
4 Stripes



DLM

Muscle sleeves
Executive fabric vest
Vaultex reflective with 2 pockets



JGO



JGY

Winter Jacket
Made In China



KWA



EJM

Workland Rain Coat
Made In China

Workland 2pc Rain Suit
Made In China





UNIFORM

Made In China
 100% Twill Cotton
 190 gsm
 2 Pockets On the Shirt
 2 Side Pockets On the pant
 2 Back Patch Pocket
 Colour: P.Blue & Navy Blue



UNIFORM

Made In China
 100% Twill Pant & Shirt / Sanforized & Mercherized. Long Sleeves / Pre-Shrunk.
 Manufactured in Accordance with CE CAT1, Fabric Weight 190 GSM.
 Long Sleeves Shirt with Four Pockets.
 Elasticized waist Band at Back of Pant.
 COLORS: P.Blue, Navy Blue, Khaki, Grey



COVERALL

Made In China
 100% Twill Cotton
 190 gsm
 Pocket On the Shirt
 Side Pocket On the pant
 Colour: P.Blue & Navy Blue

DISPOSABLE COVERALL



Disposable Coverall / 40 Gsm Weight Colour - White, Sizes - S - 5XL Packing - 100 pcs in one Carton
 ORIGIN : CHINA



DISPOSABLE COVERALL



EN 13034 - Protection Against Liquid Splashes (Type 6)
 EN13982 - Protection Against Airborne Solid Particles (Type 5)
 EN 14126 - Protection Against Biological Hazards / Infective Agents
 EN1149 - Protection Against Electrostatic Properties
 Feature MUTEX LIGHT + is:
 - Antistatic
 Silicone and latex free Benefit, Excellent ergonomics and fitting: 3-piece hood with a special crotch design, Better protection outside flap and a dual slider zipper.

Versatility thanks to:
 Certification Type 5 & 6 Antistatic
 Resistance to particles contamination and chemical splashes.
 Description
 MUTEX LIGHT + is a type 5 & 6, antistatic, radioactive particles and biological agents certified coverall with elasticated hood, waist, wrists & ankles. Made of white laminated polypropylene - silicone & latex-free.



FR COVERALL

100% Cotton
 300 GSM
 Fabric Stability pre shrunk
 Multiple utility and cargo pockets
 High quality YKK zipper
 Made in Pakistan



FR COVERALL

Fire Retardent Long Sleeve Reflective Coverall, Washable Dry Cleanable, 100% Cotton Coverall
 320 G Fabric, Colour: Dark Blue
 Standard: EN ISO 11611.
 EN ISO 11612. EN ISO 14116



FR PANT & SHIRT

100% Cotton
 300 GSM
 Fabric Stability pre shrunk
 Multiple utility and cargo pockets
 High quality YKK zipper
 Made in Pakistan



UD 46

Color - Clear / Dark
 Standard - Ansi Z87.1 2003 /EN166
 Polycarbonate lenses provide 99.9% UV protection.Meets the requirements of EN166 or ANSI Z87.1.Impact-resistant, lightweight and comfortable. Anti-scratch coating / Shiny black frame with adjustable temples.

ORIGIN: TAIWAN



UD 71

Color - Clear / Dark
 Standard - Ansi Z87.1 2003 /EN166
 Polycarbonate lenses provide 99.9% UV protection.Meets the requirements of EN166 or ANSI Z87.1. Impact-resistant, lightweight and comfortable.Anti-scratch coating / Fog crystal temples.

ORIGIN: TAIWAN



UD 81

Color - Clear / Dark
 Standard - Ansi Z87.1 2003 /EN166
 Polycarbonate lenses provide 99.9% UV protection.Meets the requirements of EN166 or ANSI Z87.1.Impact-resistant, lightweight and comfortable. Anti-scratch coating Fog crystal temples / matt red temple ends.

ORIGIN: TAIWAN



UD 91

Color - Clear / Dark
 Standard - Ansi Z87.1 2003 /EN166
 Polycarbonate lenses provide 99.9% UV protection. Meets the requirements of EN166 or ANSI Z87.1. Impact-resistant, lightweight and comfortable. Anti-scratch coating Fog crystal temples / matt red temple ends.

ORIGIN: TAIWAN



HON SVP 200 GRAY-FRAME-LENS HC

Stylish, Low Profile And Very Light Weight Eyewear Which Offers All Day Comfort For Temporary Or Permanent Workforce Across All Industries Polycarbonate, Grey Lens With Hard Coat Anti Scratch, Dielectric, 10 base wraparound lens for optimum protection frameless design and fits most facial profiles Lightweight, Weights 15 grams for all day comfort Temple tips are flexible and comfortable Molded nosepiece to avoid pinching and provides comfort to the user



DUREMAXX SAFETY GOOGLE

Low profile design and toric lens for a large panoramic field of vision
 It does ensure an unobstructed vision, a must for regular goggle wearers
 The OTG Goggle!

Fits over most prescription spectacles when still offering an incredible wearing comfort
 Made in USA





OVM

Disposable Particulate Respirator
 Filters out Bacteria and viruses
 Remove the Suspended Particulate
 Dust, Filter Efficiency
 Tight Sealed
 Comfortable use
 Latex free Head Strap
 95% Purification



GBR

Disposable Particulate Respirator
 Filters out Bacteria and viruses
 Remove the Suspended Particulate
 Dust, Filter Efficiency
 Tight Sealed
 Comfortable use
 Latex free Head Strap
 95% Purification



H801 V

Feature Metallic nose clip
 Easy to shape around the nose
 PU nose foam seal, Control leakage and increase comfort
 Reduce wearers' fatigue, Shell incorporates arc shaped
 ribbing, Anti-deformation, Low breathing resistance media
 High performance exhalation valve, material Outer Layer
 Polypropylene, Inner layer Polyester



H801

The H801 protection: filters at least 95% of solid and
 liquid aerosol's that do not contain oil. The nose clip is
 metallic which is easy to shape around the nose. Twin,
 latex-free, straps are elasticated fabric, fully welded to the
 mask. These are sweat absorbent and provide an excellent
 degree of tightness. High performing, humidity-resistant
 & low breathing resistance filter media Easy to wear with
 safety spectacles, goggles, giving an excellent field of



FULL FACE PIECE MASK

Oral nasal cup reduces fogging
 and lessens dead air space
 to improve worker comfort
 Hard-coated polycarbonate
 lens, is scratch resistant
 and meets ANSI
 standards for impact and
 penetration resistance



MULTI PURPOSE CARTRIDGE



GAS & VAPOUR CARTRIDGE



AERIS CONFORT TYPE 2 WITH ZENITH DEMAND VALVE

Key Features

Non-metallic, ergonomic, flexible
 back plate, Three carry handles and
 attachment point for lifeline
 Comfort cushions on the shoulders
 and waist belt straps made of
 aramid fibre. Excellent weight
 distribution of the apparatus on
 the hips, Adjustable fast-tightening
 shoulder straps buckles Washable
 harness, Adjustable cylinder strap
 Reducer with built-in second user
 outlet, allowing an air supply to be

added for an additional rescue hood, full face mask
 or airline connection. Flame-retardant optional reflective
 pads accessories available on shoulders. Optional medium
 pressure airline connection accessories available



BILSOM 303L FOAMPLUG

Polyurethane form Soft foam delivers superior long-wearing comfort and solid performance.

Smooth, Soil-Resistant Skin Prevents dirt or other substances from accumulating on skin or entering ear canal. The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise demand the best protection and comfort available in an earplug.

Honeywell



SMARTFIT CORDED

Conforming Material Technology™ Thermoplastic Elastomer (TPE) adapts plug to the contours of the ear canal for a more personalized fit, feels better the longer you wear it. Flat Fin Seal Creates better seal, more comfortable inside the ear canal. Flanged Handle For easy handling. Detachable Cord Allowed for corded or uncorded wear choice. Hearpack Storage Case.

Honeywell



BILSOM 303L FOAMPLUG CORDED

Polyurethane form Soft foam delivers superior long-wearing comfort and solid performance.

Smooth, Soil-Resistant Skin Prevents dirt or other substances from accumulating on skin or entering ear canal. The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise demand the best protection and comfort available in an earplug.

Honeywell



VPC

Corded PU-foam earplug SNR 37dB, NRR 32dB Highest SNR and NRR available in PU-foam earplug Disposable and one size fit Available in orange color ORIGIN: TAIWAN



MACH1

Economical Design Provides adequate protection at a low cost. Lightweight Extremely lightweight construction provides for all-day comfort. Dielectric Construction Suitable for all workplaces, especially electrical environments.

Honeywell



THUNDER T1S HEADBAND EARMUFF

Thunder series earmuff is designed with all-day comfort in mind. Headband earmuffs feature a unique dual-headband for better positioning and breathability, and non-deforming outer headband that minimizes pressure on the head. Plus, its dielectric construction withstands use and abuse.

Honeywell



THUNDER T1HS HELMET EARMUFF

When it comes to selecting an earmuff, comfort reigns supreme with workers. That's why the Thunder series earmuff is designed with all-day comfort in mind. Headband earmuffs feature a unique dual-headband for better positioning and breathability and non-deforming outer headband that minimizes pressure on the head. Plus, its dielectric construction withstands use and abuse, while protecting workers in electrical environments

Honeywell



HELMET PIN LOCK TYPE

3 level height adjustment
4-point plastic suspension
With grooved HDPE Outer shell
Rain trough & accessory slots
Versatile and dependable design
Color: White, Blue

Honeywell



HELMET PIN LOCK TYPE

Material - HDPE
Standard - EN:379 CE Marked
Certified - EN-397 IS:2925
Cradle - 6-point textile suspension
Weight - 400-gram Appx.
Size - 51 cm - 62 cm
Sweat Band - Brushed cloth on foam
Origin - INDIA
Color: Yellow, White, Blue, Green, Red

Vaultex



HELMET PIN LOCK TYPE

MADE IN INDIA
Material - HDPE
Standard - EN:379 CE Marked
Certified - EN-397 IS:2925
Cradle - 6 point textile suspension
Weight - 400 gms Appx.
Color: Yellow, White, Blue, Green, Red

FORTE



HELMET RATCHET TYPE

3 level height adjustment
4-point plastic suspension
With grooved HDPE Outer shell
Rain trough & accessory slots
Versatile and dependable design
Color: White, Yellow, Blue

Honeywell



FACE SHIELD WITH RATCHET HEAD GEAR

Adjustable Ratchet Type
Provides face Protection Against Liquid
Splashes, Flying Objects & Grinding
Chips, Etc.
Lightweight-Visor Gives High Impact
Resistance

SP



HELMET RATCHET TYPE

MADE IN INDIA
Material - HDPE
Standard - EN:379 CE Marked
Certified - EN-397 IS:2925
Cradle - 6 point textile suspension
Weight - 400 gms Appx.
Color: Yellow, White, Blue

FORTE



AUTO DARKENING WELDING HELMET

An easy ratchet adjustment system for personalized fit and total comfort.
Replaceable, padded sweatband.
A design that accommodates many safety eyewear and respiratory products.
Viewing Area: 6.5" (3.8" x 1.7" / 96mm x 42mm)
Operating temperature range: -5° C to +55° C (+23° F to +131° F)
Recommended Industries/Use: Construction, Manufacturing, Steel and Metals
Welding

Honeywell

Honeywell



HONEYWELL HARNESS FPG

EN 36 Standard

Bigger back d ring, Fall Indicator, Friction mating Buckles
6 ft Working Length, 4 ft extended fall length

Vaultex



RETRACTABLE FALL ARRESTER

Durable Polyamide Casing
4 mm Galvanized Steel Rope
1 Steel Karabiner

Secure Snap Steel Hood
Swivel Aluminum Alloy Snap Hook
Conduit Rope.
MAXIMUM LOAD CAPACITY: 100 Kg
LENGTH: 6 Meter

Vaultex



VAULTEX HARNESS UB 105

Full body harness - UB105 made of 44 mm polyester red/yellow webbing having one dorsal D ring and two chest D rings made of zinc plated mild steel Full adjustable shoulder and thigh straps. Ideal position side strap for extended comfort.

EN361-2002EN361-2002, Made In India

Vaultex



SUSPENSION TRAUMA STRAP SET

Lightweight web straps designed to reduce the onset of suspension trauma during post-fall suspension, allow user to flex leg muscles and relieve leg strap pressure while suspended prior to rescue.

Avoid effects of suspension trauma
Compact, lightweight, versatile
Multiple attachment point options
Fast, easy installation & deployment
Multiple loop design accommodates all heights and sizes
Length- 1.2 meter

Vaultex



VAULTEX HARNESS UB 103

Full body harness - UB103 made of 44 mm polyester red/yellow webbing having one dorsal D ring and two chest D rings made of zinc plated mild steel Full adjustable shoulder and thigh straps. Ideal position side strap for extended comfort. EN361-2002EN361-2002, Made in India



SCAFFOLDING TAG

Made in India
10 sets of tags per box with
2 pcs free Marker



SINGLE GAS DETECTOR MONITOR

Made in Mexico
Class I, DIV.1, GR. A,B,C,D./ Class I,
Zone 0, Gr.IIC II 1G Ex ia IIC T4 Ga
/ Ex ia IIC T4 Ga

Honeywell

EYE WASH SHOWER 6250 GI



Made In India
Stainless Steel
Stay Open Ball Valve With
ABS Push Plate
Acid, Alkali & Oil Resistant
Twin Soft Flow Automiser
Head With Aerators to
Control Stream
Operated By Push Plate
Material G.I

Vaultex



WELDING APRON

Material : Leather
Color: White
Made In Pakistan

VOLTA



5 & 10 GALLON OIL SPILL KIT

Kit Contents:
Sorbent Pad
Sorbent Sock
HD Disposal Bag
Plastic Scoop With Brush
Safety Goggles
Glove
Instruction Sheet
Spill Kit Bag

Vaultex

EYE WASH 4710 GI

Made In India
Stainless Steel
Stay Open Ball Valve With
ABS Push Plate
Acid, Alkali & Oil Resistant
Material G.I

Vaultex



GRAVITY-FED EYE WASH TANK

Chemical Resistant High Density
Green Polythelene Tank With 34
Liter Sufficiency.
Provides 15 Minutes Of Continous
Water Flow.

Vaultex



WALL MOUNDED EYE / FACE WASH STATION

Stainless Steel, Stay Open Ball Valve
with ABS push Plate, Acid, Alkali
& Oil Resistant, Made In India

Vaultex



Vaultex



Upper: Synthetic Upper, Steel Toe with 140 joules Capacity,
Steel Toe & Steel Plate,
Sizes :39-46, Made in China



Polyurethane Sole
1.7 Thickness Breathable Split Leather
Steel Toe with 140 joules Capacity
Spacer Lining, Odour Free
Made In India
Size : 39-46



Made In India
Polyurethane Sole
Imported Steel Toe
Genuine Leather upper
Odor Free Lining,
Standard EN 345, * Steel Mid Plate
3 months warranty against Manufacturing defect. Sizes :39-46



Made In India
EN Standard Steel Mid Sole plate and Steel Toe
1.8 Thickness Breathable Split Leather
Single Density PU Sole, Odor Free Lining
CE EN Meet Standard 345
6 Months Replacement Warranty for Any Mnfr.Defecting.
Sizes :39-46



Made In India
Genuine Leather upper
Double Density Sole
Standard EN 345
Imported Steel Toe
Size: 39-46
6 Months warranty against manufacturing defect



Made In Italy
 Polyurethane Sole With 2 MM Thickness Leather
 Steel Toe With 200 Jolus Capacity
 Odor Free Lining, Standard EN 345
 Imported Steel Toe , Genuine Leather upper
 Sizes :39-46, 6 Months Warranty



Road-mate

Made In China
 Upper Cow Suede+Mesh
 Lining BK Mesh
 Out Sole Rubber+ MD
 Imported Steel Toe
 Sizes 40-46



Made In China
 S3 standard, Breathable genuine leather
 water resistant upper
 steel toe ,steel plate
 oil & acid resistant
 energy absorbing heels ,padded insole with mesh lining
 6 months warranty against Manufacturing defects.
 Sizes :38 to 46

VE5



GUM BOOT

High Quality PVC
 Oil Resistant
 Energy Absorbing Heels
 Colour: White & Black
 Sizes : 38 - 46
 Height : 15 Inch



GUM BOOT STEEL TOE

S4/38 cm Upper , PVC Sole ,
 PVC Lining ,White Insole ,
 No Steel Toe , Yes Steel Mid Sole.
 Size - 39 to 46
 Made In China



RIGGER BOOT

Breathable Genuine Leather
 Steel Toe , Mid Plate
 Oil Resistant , Energy Absorbing Heels
 Padded Insole With Brown Cambrelle Lining
 COLOR : Tan & Black
 SIZES : 38 - 46
 HEIGHT : 12 INCH
 6 Months Warranty Against Manufacturing Defects.
 Made in India



TOOLS



FLAT FILE SET



HACK SAW



C LAMP



SMOOTHING PLANE



T- ALLEN KEY



CHISEL SET



SCREWDRIVER SET



HAMMERS



PLIER SET



TOOL BAG



TOOL BOX



MEASURING TAPE



FOLDING ALLEN KEY



OPEN ALLEY KEY SET



ADJUSTABLE WRENCH



DRILL BIT



SILICON GUN



SNIPS CUTTER



L SHAPE TRI SCALE



LEVEL BAR



SCREWDRIVER SET



RATCHET SPANNER SET



PHILIPS SCREWDRIVER SET



RATCHING SCREWDRIVER SET

ELECTRICAL AND ELECTRONICS TOOLS



EARTH CABLE



EXTENSION CABLE REEL



GI BOX



CLAMP METER




DIGITAL MULTIMETER



BATTERY TESTER



SCREWDRIVER SET



DISTRIBUTION PANEL



DP SWITCH



VOLTAGE PEN TESTER



POLARITY ELECTRIC TEST METER



MEGGER METER



VERNIER CALIPER



DIGITAL MICRO METER



CAT 6 CABLE



USB KVM SWITCH KIT



RJ 45



RJ 45 COUPLER



SWITCH PORT



CABLE TIE



CIRCUIT BREAKER



VELOCITY METER



GANG SWITCH



BATTERY CHARGER

SPARE PARTS & FASTENERS



FLANGE BEARING



TAPERED ROLLER BEARING



NEEDLE ROLLER BEARING



BALL BEARING



TRANSMISSION SPROCKET



SINGLE BEARING



NUTS & BOLTS



VARIOUS FASTENERS



SOCKET HEAD CAP BOLT



SELF DRILL SCREW



TORX SCREW



DISTRIBUTION PANEL



SELF TAPPING SCREW



POP RIVETS



M4 Sloted Cheese Head



DISTRIBUTION PANEL

LUBRICANTS



TRANSMISSION FLUID



GREASE



BRAKE FLUID



COOLANT

SAFETY & PPE



RAIN COAT



SAFETY HARNESS



MEGAPHONE



WARNING TAPE



FACE SHIELD BRACKET



FIRE EXTINGUISHER



REBAR CAP



LATEX COATED GLOVES



LOCK OUT TAG KIT



VOLTAGE PEN TESTER



POLARITY ELECTRIC TEST METER



MEGGER METER



TRAFFIC CONE



SAFETY HELMET HD



SAFETY VEST



CHEMICAL BOOT



SAFETY HARNESS



TOOLS BELT



FIRST AID BOX



SAFETY BOOT



COVERALLS AND UNIFORMS



PROTECTION GLASSES



SECURITY RIBBON



RESPIRATOR

POWER TOOLS, ACCESSORIES & CONSUMABLES



WELDING MACHINE PORTABLE



WELDING MACHINE HEAVY DUTY



PORTABLE DRILLING MACHINE



CORDLESS ELECTRIC SAW



ANGLE GRINDER



HAMMER DRILL



JIG SAW



CHAIN SAW



RECIPROCATING SAW



DRAIN HOLE MACHINE



PORTABLE AIR COMPRESSOR



BENCH DRILL



VACUUM PUMP



SAFETY HELMET HD



WHEELBARROWS



PALLET TRUCK



FLAT TRUCK



STEP LADDERS



TROLLEY



WELDING ELECTRODES



ABRASIVE PAPER DISC



CONCRETE CUTTING DISC



CUTTING BLADE



CUTTING & GRINDING DISK

OFFICE & PACKING SUPPLIES



PRINTER & COPIER



COMPUTER & ACCESSORIES



INK TONERS & RIBBONS



OFFICE STATIONARY



INK CARTRIDGES & TONER



RYLER HQ TONER



COLOR TONER



IT MAINTENANCE & SERVICE



Microsoft



xerox



Logitech



Strapping Tape

Cartoon Boxes



Bubble Role



Lamination


Corrugated Sheet



Stretch Firms




Air Bubble Sheet



Thermocol Sheet





ANYTHING WE DO IS JUST A SOLUTION
FOR YOUR SMOOTH OPERATION, WERE
YOUR TIME AND EFFORTS ARE SPENT ONLY
FOR IMPROVING YOUR PRODUCTIVITY,
WHICH IS WHAT MATTERS TO US THE
MOST...

VISION

TO EXCEED CUSTOMERS EXPECTATIONS BY FULLY UNDERSTANDING THEIR NEEDS
AND REQUIREMENTS AND CONSISTENTLY DELIVERING ON OUR COMMITMENTS IN SAFE
RELIABLE AND TRANSPARENT MANNER

- DIRECTOR

**BAHJAT YOUSOUF H KALANTAN TRADING.
PALMAE SOLUTIONS TRADING.**

www.palmaesolution.com

Info@palmaesolution.com

Mobile : +966 533041724, +966 501827638

K.S.A : Baghdhadiya - Dist. Jeddah

Branches :

Riyadh - Dammam